Executive Summary – Enforcement Matter – Case No. 51559 SHIN-ETSU SILICONES OF AMERICA, INC.

RN102877768 Docket No. 2015-1726-PWS-E

Order Type:

Findings Agreed Order

Findings Order Justification:

Three repeated enforcement actions (or two orders with nuisance violations) over the prior five year period for the same violation(s).

Media:

PWS

Small Business:

Yes

Location(s) Where Violation(s) Occurred:

Shin-Etsu Silicones of America, 5650 East Highway 332, Freeport, Brazoria County

Type of Operation:

Public water supply

Other Significant Matters:

Additional Pending Enforcement Actions: No

Past-Due Penalties: N/A

Other: N/A

Interested Third-Parties: None

Texas Register Publication Date: February 26, 2016

Comments Received: No

Penalty Information

Total Penalty Assessed: \$243

Amount Deferred for Expedited Settlement: \$0 Amount Deferred for Financial Inability to Pay: \$0

Total Paid to General Revenue: \$243 Total Due to General Revenue: \$0

Payment Plan: N/A

Supplemental Environmental Project ("SEP") Conditional Offset: \$0

Name of SEP: N/A

Compliance History Classifications:

Person/CN - Satisfactory Site/RN - Satisfactory

Major Source: No

Statutory Limit Adjustment: N/A Applicable Penalty Policy: April 2014

Investigation Information

Complaint Date(s): N/A

Complaint Information: N/A

Date(s) of Investigation: November 2 through 13, 2015

Date(s) of NOE(s): November 13, 2015

Executive Summary – Enforcement Matter – Case No. 51559 SHIN-ETSU SILICONES OF AMERICA, INC. RN102877768

Docket No. 2015-1726-PWS-E

Violation Information

Failed to comply with the maximum contaminant level ("MCL") of 0.080 milligrams per liter for total trihalomethanes ("TTHM") based on the locational running annual average [30 Tex. Admin. Code § 290.115(f)(1) and Tex. Health & Safety Code § 341.0315(c)].

Corrective Actions/Technical Requirements

Corrective Action(s) Completed:

N/A

Technical Requirements:

The Order will require the Respondent to:

a. Within 365 days, return to compliance with the locational running annual average MCL for TTHM.

b. Within 380 days, submit written certification to demonstrate compliance with a.

Litigation Information

Date Petition(s) Filed: N/A Date Answer(s) Filed: N/A SOAH Referral Date: N/A Hearing Date(s): N/A Settlement Date: N/A

Contact Information

TCEO Attorney: N/A

TCEQ Enforcement Coordinator: Farhaud Abbaszadeh, Enforcement Division, Enforcement Team 1, MC 169, (512) 239-0779; Melissa Cordell, Enforcement Division,

MC 219, (512) 239-2483

TCEO SEP Coordinator: N/A

Respondent: Kazuhiro Kitani, President and CEO, SHIN-ETSU SILICONES OF

AMERICA, INC., 1150 Damar Drive, Akron, Ohio 44305

Respondent's Attorney: N/A

Penalty Calculation Worksheet (PCW) PCW Revision March 26, 2014 Policy Revision 4 (April 2014) Assigned 16-Nov-2015 PCW 23-Nov-2015 Screening 23-Nov-2015 **EPA Due** 31-Mar-2016 RESPONDENT/FACILITY INFORMATION Respondent SHIN-ETSU SILICONES OF AMERICA, INC. Reg. Ent. Ref. No. RN102877768 Facility/Site Region 12-Houston Major/Minor Source Minor CASE INFORMATION Enf./Case ID No. 51559 No. of Violations 1 Docket No. 2015-1726-PWS-E Order Type Findings Government/Non-Profit No Media Program(s) Public Water Supply Multi-Media Enf. Coordinator Farhaud Abbaszadeh EC's Team Enforcement Team 1 Admin. Penalty \$ Limit Minimum \$50 Maximum \$1,000 Penalty Calculation Section TOTAL BASE PENALTY (Sum of violation base penalties) \$150 Subtotal 1 ADJUSTMENTS (+/-) TO SUBTOTAL 1 Subtotals 2-7 are obtained by multiplying the Total Base Penalty (Subtotal 1) by the indicated percentage. \$93 **Compliance History** Subtotals 2, 3, & 7 **62.0%** Adjustment Enhancement for three NOVs with same/similar violations, one NOV with dissimilar violations, one order with denial of liability, and one order Notes without denial of liability. Culpability No Subtotal 4 \$0 0.0% Enhancement Notes The Respondent does not meet the culpability criteria. **Good Faith Effort to Comply Total Adjustments** Subtotal 5 \$0 Subtotal 6 \$0 **Economic Benefit** 0.0% Enhancement* Total EB Amounts Capped at the Total EB \$ Amount **Estimated Cost of Compliance** \$5,000 **SUM OF SUBTOTALS 1-7** \$243 Final Subtotal OTHER FACTORS AS JUSTICE MAY REQUIRE 0.0% \$0 Adjustment Reduces or enhances the Final Subtotal by the Indicated percentage. Notes Final Penalty Amount \$243 STATUTORY LIMIT ADJUSTMENT \$243 Final Assessed Penalty 0.0% \$0 Adjustment **DEFERRAL** Reduction

Reduces the Final Assessed Penalty by the Indicated percentage. (Enter number only; e.g. 20 for 20% reduction.)

Notes

PAYABLE PENALTY

No deferral is recommended for Findings Orders.

\$243

PCW

Respondent SHIN-ETSU SILICONES OF AMERICA, INC.

Case ID No. 51559

Reg. Ent. Reference No. RN102877768

Media [Statute] Public Water Supply Enf. Coordinator Farhaud Abbaszadeh

Policy Revision 4 (April 2014)

PCW Revision March 26, 2014

Compliance History Worksheet

>>	Compliance History	Site	Enhancement	(Subtotal 2)
----	--------------------	------	-------------	--------------

Component	Number of	Enter Number Here	Adjust.
NOVs	Written notices of violation ("NOVs") with same or similar violations as those in the current enforcement action (number of NOVs meeting criteria)	3	15%
	Written notices of violation ("NOVs") with same or similar violations as those the current enforcement action (number of NOVs meeting criteria) Other written NOVs Any agreed final enforcement orders containing a denial of liability (number orders meeting criteria) Any adjudicated final enforcement orders, agreed final enforcement order without a denial of liability, or default orders of this state or the feder government, or any final prohibitory emergency orders issued by the commission of liability of this state or the federal government (number of judgments consent decrees meeting criteria) Any adjudicated final court judgments and default judgments, or non-adjudicate final court judgments and default judgments, or non-adjudicate final court judgments or consent decrees without a denial of liability, of this state or the federal government (number counts) Chronic excessive emissions events (number of events) Letters notifying the executive director of an intended audit conducted under to Texas Environmental, Health, and Safety Audit Privilege Act, 74th Legislatu 1995 (number of audits for which notices were submitted) Disclosures of violations under the Texas Environmental, Health, and Safety Audit Privilege Act, 74th Legislaturing (number of audits for which notices were submitted)	1	2%
		1	20%
Orders	Written notices of violation ("NOVs") with same or similar violations as those in the current enforcement action (number of NOVs meeting criteria) Other written NOVs Any agreed final enforcement orders containing a denial of liability (number of orders meeting criteria) Any adjudicated final enforcement orders, agreed final enforcement orders without a denial of liability, or default orders of this state or the federal government, or any final prohibitory emergency orders issued by the commission Any non-adjudicated final court judgments or consent decrees containing a denial of liability of this state or the federal government (number of judgments or consent decrees meeting criteria) Any adjudicated final court judgments and default judgments, or non-adjudicated final court judgments and default judgments, or non-adjudicated final court judgments or consent decrees without a denial of liability, of this state or the federal government (number of counts) missions Chronic excessive emissions events (number of events) Letters notifying the executive director of an intended audit conducted under the Texas Environmental, Health, and Safety Audit Privilege Act, 74th Legislature, 1995 (number of audits for which notices were submitted) Disclosures of violations under the Texas Environmental, Health, and Safety Audit Privilege Act, 74th Legislature, 1995 (number of audits for which violations were disclosed)		25%
Judgments	of liability of this state or the federal government (number of judgments or		0%
Decrees	of liability of this state or the federal government (number of judgments consent decrees meeting criteria) Any adjudicated final court judgments and default judgments, or non-adjudica final court judgments or consent decrees without a denial of liability, of this st or the federal government Any criminal convictions of this state or the federal government (number)		0%
Convictions		0	0%
Emissions	Chronic excessive emissions events (number of events)	0	0%
Audite	Texas Environmental, Health, and Safety Audit Privilege Act, 74th Legislature,	B .	0%
Audits	Privilege Act, 74th Legislature, 1995 (number of audits for which violations were		0%
	Ple	ase Enter Yes or No	

	The state of the s	ase cinter res or no	
	Environmental management systems in place for one year or more	No	0%
Other	Voluntary on-site compliance assessments conducted by the executive director under a special assistance program	No	0%
J 3.1.2.	Participation in a voluntary pollution reduction program	No	0%
	Early compliance with, or offer of a product that meets future state or federal government environmental requirements	No	0%

Adjustment Percentage (Subtotal 2) 62%

>> Repeat Violator (Subtotal 3)

No

Adjustment Percentage (Subtotal 3)

0%

>> Compliance History Person Classification (Subtotal 7)

Satisfactory Performer

Adjustment Percentage (Subtotal 7)

0%

>> Compliance History Summary

Compliance History Notes

Enhancement for three NOVs with same/similar violations, one NOV with dissimilar violations, one order with denial of liability, and one order without denial of liability.

Total Compliance History Adjustment Percentage (Subtotals 2, 3, & 7) 62%

>> Final Compliance History Adjustment

Final Adjustment Percentage *capped at 100%

62%

> Environmental, Property and Human Health Matrix Harm Release Major Moderate Minor Actual X Percent 15,0% > Programmatic Matrix Falsification Major Moderate Minor Percent 0.0% Matrix Notes Exceeding the MCL for TTHM caused persons served by the Facility to be exposed to significant amounts of pollutants which do not exceed levels protective of human health. Adjustment 5850 S15 iolation Events Number of Violation Events 1 275 Number of violation days daily weekly mark only one monthly quarterly semiannual annual x single event									
Reg. Ent. Reference No. 51559 Reg. Ent. Reference No. 8102877768 Media [Statute] Public Water Supply Enf. Coordinator Fariand Abbaszadeh Violation Number Rule Cite(s) 30 Tex. Admin. Code § 290.115(f)(1) and Tex. Health & Safety Code § 314.0315(c) Falled to comply with the meanton extransient level ("MCL") of 0,080 milligens per liker ("mg/L") for total trihalomethanes ("THM"), based on the locational unring annual average, specificially, the locational running annual average concentrations for THM for Disinfection Byproducts Stage 2 at site 1 were 0.097 mg/L for the second quarter of 2015, 0.39 mg/L for the third quarter of 2015, and 0.143 mg/L for the fourth quarter of 2015. See Penalty Servironmental, Property and Human Health Matrix Harm Release Major Moderate Minor Percent 15.0% Percent 0.0% Matrix Falsefication Major Moderate Minor Percent 0.0% Matrix Release Major Moderate Minor Percent 15.0% Percent 15.0% Percent 15.0% Significant seminantic Matrix Adjustment 5550 Iolation Events Number of Violation Events 1 275 Number of violation days Iolation Events One annual event is recommended. Violation Subtotal 515 Iolation Subtotal 515 Reduction 515 Iolation Subtotal 515 Iolation Subtotal 515 Ectroordinary Ordinary Notal 100 Statutory Limit Test Estimated EB Amount 5228 Violation Final Penalty Total 525 Iolation Final Penalty Total 525							ket No. 2015-1726-PWS-E		PCW
Reg. Ent. Reference No. RN102877758 Medial (Statute) = Duble Water Supply Enf. Coordinator Farhaud Abbaszadeh Violation Number 1 Rule Cite(s) 30 Tex. Admin. Code § 290.115(f)(1) and Tex. Health & Safety Code § 341.0315(c) Falled to comply with the maximum contaminant level ("MCL") of 0.080 milligrams per liker ("mg/L") for total trihalomethanes ("THM"), based on the locational per liker ("mg/L") for the second quarter of 2015, 0.139 mg/L for the third quarter of 2015, and 0.143 mg/L for the fourth quarter of 2015, and 0.143 mg/L for the fourth quarter of 2015, and 0.143 mg/L for the fourth quarter of 2015. See Penalty 51.00 Servironmental, Property and Human Health Matrix Harm Release Major Moderate Minor Percent 15.0% Percent 15.0% Percent 15.0% Percent 15.0% Percent 15.0% Percent 25.0% Adjustment 5850 S15 Iolation Events Number of Violation Events 1 275 Number of violation days dealy weekly quarterly weekly monthly quarterly weekly monthly quarterly weekly monthly quarterly sannaul x single event. One annual event is recommended. One annual event is recommended. One annual event is recommended. Violation Subtotal 315 Conomic Benefit (EB) for this Violation 5228 Violation Final Penalty Total 3228 Violation Final Penalty Total 3228 Violation Final Penalty Total 3228			-		CONES OF AN	MERICA, INC.			
Media [Statute] Public Water Supply Enf. Coordinator Ferhaud Abbassadeh Violation Number Rule Cite(s) 30 Tex. Admin. Code § 290.115(P(1) and Tex. Health & Safety Code § 341.0315(c) Felled to comply with the maximum contaminant level ("MCL") of 0.080 milligrams per liter ("mg/L") for total trinshoutenbares ("THIP"), based on the locational running annual average. For the second quarter of 2015, Specifically, the locational running annual average. Specifically, the locational running annual average of 10.13 mg/L for the second quarter of 2015, and 0.143 mg/L for the fourth quarter of 2015. Base Penalty \$1,00 Servironmental, Property and Human Health Matrix Harm Release Major Moderate Milnor Actual Major Moderate Milnor Percent 15.0% > Programmatic Matrix Release Major Moderate Milnor Actual Major Moderate Milnor Percent 0.0% Matrix Notes Exceeding the MCL for TTHM caused persons served by the Facility to be exposed to significant amounts of pollutants which do not exceed levels protective of human health. **Adjustment** **S550** **S550** **S550** **S650** **S650** **Ordinary Concepts of Violation Events 1 275** **Number of Violation Events 1 275** **Number of Violation Events 1 325** **Number of Violation Base Penalty 515** **S650** **Ordinary Concepts Ordinary	Po~							PCW Re	evision March 26, 2014
Enf. Coordinator Fahaud Abbaszadeh Violation Number 1 Rule Cite(s) Rule Cite(s) Rule Cite(s) Falled to comply with the maximum contaminant level ("MCL") of 0.089 milligrams per liter ("mg/L") for total tribalomethanes ("THM"), Disead on the locational concentrations for THM for Disease of THM for Disease on the locational concentrations for THM for Disease (or THM) for Disease of THM for Disease (or THM) for Disease (or	Keg.				nnly				
Violation Number 1 30 Tex. Admin. Code § 290.115(f)(1) and Tex. Health & Safety Code § 341.0315(c)									
Violation Description Falled to comply with the maximum contaminant level ("MCL") of 0.080 milligrams per liter ("mgl.") for total trimbiomethane ("TTHH"), based on the locational per liter ("mgl.") for total trimbiomethane ("TTHH"), based on the locational concentrations for TTHH for Disinfection Byproducts Stage 2 at site 1 were 0.097 mg/L for the second quarter of 2015, 0.139 mg/L for the third quarter of 2015, and 0.143 mg/L for the second quarter of 2015, 0.139 mg/L for the third quarter of 2015, and 0.143 mg/L for the fourth q									
Per Iter Cmg/L*) for total trihalomethanes (TTHM*), based on the locational running annual average concentrations for TTHM for Disinfection Byproducts Stage 2 at site 1 were 0.997 mg/L for the second quarter of 2015, 0.139 mg/L for the third quarter of 2015, and 0.143 mg/L for the fourth quarter of 2015, and 0.143 mg/L for the fourth quarter of 2015, and 0.143 mg/L for the fourth quarter of 2015, and 0.143 mg/L for the fourth quarter of 2015. Base Penalty			Rule Cite(s)	30 Tex. A	dmin. Code §		•	le §	
> Environmental, Property and Human Health Matrix Harry Release Major Moderate Minor Actual X Percent 15,0% > Programmatic Matrix Falsification Major Moderate Minor Percent 0.0% Matrix Notes Percent 0.0%		Violation	n Description	per liter ("m running ann concentrations	.g/L") for total nual average. for TTHM for cond quarter (trihalomethan Specifically, th Disinfection B of 2015, 0.139	ies ("TTHM"), based on the loone locational running annual a yproducts Stage 2 at site 1 wo I mg/L for the third quarter of	ational verage ere 0.097	
Release Major Harm Moderate Minor Percent 15.0% > Programmatic Matrix Falsification Major Moderate Minor Percent 0.0% Matrix Notes Major Moderate Minor Percent Major Moderate Minor Percent Major Moderate Minor Moderate Percent Minor Moderate							Bas	e Penalty[\$1,000
Release Major Moderate Minor Actual Potential Percent 15.0% > Programmatic Matrix Falsification Major Moderate Minor Percent 0.0% Matrix Notes Exceeding the MCL for TTHM caused persons served by the Facility to be exposed to significant amounts of pollutants which do not exceed levels protective of human health. Adjustment S850	>> Env	ironmer	ital, Prope	rty and Hum	an Health	Matrix			
Percent 15.0% > Programmatic Matrix Felsification Major Moderate Minor Percent 0.0% Matrix Exceeding the MCL for TTHM caused persons served by the Facility to be exposed to significant amounts of pollutants which do not exceed levels protective of human health. Adjustment S850			Polonco	Major		Minor			
> Programmatic Matrix Falsification Major Moderate Minor Percent 0.0% Matrix Exceeding the MCL for TTHM caused persons served by the Facility to be exposed to significant amounts of pollutants which do not exceed levels protective of human health. Adjustment \$850	OR					MINO			
Matrix Exceeding the MCL for TTHM caused persons served by the Facility to be exposed to significant amounts of pollutants which do not exceed levels protective of human health. Adjustment							Percent 15.0%		
Matrix Exceeding the MCL for TTHM caused persons served by the Facility to be exposed to significant amounts of pollutants which do not exceed levels protective of human health. Adjustment		***************************************				***************************************			
Matrix Exceeding the MCL for TTHM caused persons served by the Facility to be exposed to significant amounts of pollutants which do not exceed levels protective of human health. Adjustment \$850 \$15 Initiation Events Number of Violation Events Number of Violation Events Number of Violation Events Number of Violation Events Adjustment \$850 \$15 Initiation Events Number of Violation Events Number of Violation Base Penalty Matrix mark only one with an x Seminanual annual single event Seminanual annual single even	>>Pro	gramma		Mater	Modorato	Minor	, , , , , , , , , , , , , , , , , , ,		
Matrix Notes Exceeding the MCL for TTHM caused persons served by the Facility to be exposed to significant amounts of pollutants which do not exceed levels protective of human health. Adjustment \$850 \$15 Initiation Events Number of Violation Events 1	-		raisincation	Major 	Moderate	РИПОГ	Percent 0.0%		
Notes amounts of pollutants which do not exceed levels protective of human health.		· [<u> </u>	<u>,,</u>	l				
Notes amounts of pollutants which do not exceed levels protective of human health. Adjustment \$850 \$15 iolation Events Number of Violation Events 1 275 Number of violation days daily weekly monthly quarterly semiannual x annual single event		٠ [F di M	- MCI 6- TIM			No. Contractor to the contractor of the contract	'6	
iolation Events Number of Violation Events Adaily weekly monthly quarterly semiannual annual single event One annual event is recommended. Sood Faith Efforts to Comply D.09% Extraordinary Ordinary Ordinary Ordinary N/A Notes The Respondent does not meet the good faith criteria for this violation. Violation Subtotal Significance of this violation Statutory Limit Test Estimated EB Amount Significance of the violation	-	? II							
Sidation Events Sidation E		, 1401.03	4			or exceed leve			
Sidation Events Sidation E				and the second of the second o	-		Adiuchmank	#0EU	
Number of Violation Events 1							Adjustment	\$650	
Number of Violation Events 1 275 Number of violation days daily									\$15
Number of Violation Events 1 275 Number of violation days daily	(:=1=k:		-			and the state of t			
Mark only one with an x Mark only one annual x Mark only one annual event is recommended. One annual event is recommended. Section Section Section Section Mark only one part of the property of the propert	violatio	on Event	:S					3	
weekly monthly quarterly semiannual annual single event One annual event is recommended. One annual event is recommended. One annual event is recommended. Stood Faith Efforts to Comply 0.0% Before NOE/NOV NOE/NOV to EDPRP/Settlement Offer Extraordinary Ordinary N/A x ((mark with x)) Notes The Respondent does not meet the good faith criteria for this violation. Violation Subtotal \$15 Statutory Limit Test Estimated EB Amount \$728 Violation Final Penalty Total \$24			Number of	Violation Events	1		275 Number of violation	days	
weekly monthly quarterly semiannual annual single event One annual event is recommended. One annual event is recommended. One annual event is recommended. Stood Faith Efforts to Comply 0.0% Before NOE/NOV NOE/NOV to EDPRP/Settlement Offer Extraordinary Ordinary N/A x ((mark with x)) Notes The Respondent does not meet the good faith criteria for this violation. Violation Subtotal \$15 Statutory Limit Test Estimated EB Amount \$728 Violation Final Penalty Total \$24						· •			
One annual single event One annual event is recommended. Sood Faith Efforts to Comply Before NOE/NOV NOE/NOV to EDPRP/Settlement Offer Extraordinary Ordinary N/A X ((mark with x) Notes The Respondent does not meet the good faith criteria for this violation. Violation Subtotal \$15 Economic Benefit (EB) for this violation Statutory Limit Test Estimated EB Amount \$728 Violation Final Penalty Total \$24				weekly monthly quarterly			Violation Bas	e Penalty[\$15
Food Faith Efforts to Comply Before NOE/NOV NOE/NOV to EDPRP/Settlement Offer Extraordinary Ordinary N/A		_		annual	X				
Before NOE/NOV NOE/NOV to EDPRP/Settlement Offer Extraordinary Ordinary N/A x (mark with x) Notes The Respondent does not meet the good faith criteria for this violation. Violation Subtotal \$15 Conomic Benefit (EB) for this violation Statutory Limit Test Estimated EB Amount \$728 Violation Final Penalty Total \$24					One annual	event is recom	mended.		
Extraordinary Ordinary N/A Notes The Respondent does not meet the good faith criteria for this violation. Violation Subtotal \$15 Conomic Benefit (EB) for this violation Statutory Limit Test Estimated EB Amount \$728 Violation Final Penalty Total \$24	Good F	aith Effo	orts to Com			NOE/NOV to EDI	PRP/Settlement Offer	Reduction [\$
N/A x (mark with x) Notes The Respondent does not meet the good faith criteria for this violation. Violation Subtotal \$15 Conomic Benefit (EB) for this violation Statutory Limit Test Estimated EB Amount \$728 Violation Final Penalty Total \$24				-					
Notes The Respondent does not meet the good faith criteria for this violation. Violation Subtotal \$15				Ordinary					
this violation. Violation Subtotal \$15 Conomic Benefit (EB) for this violation Statutory Limit Test Estimated EB Amount \$728 Violation Final Penalty Total \$24				N/A	x	(mark with x)		1	
conomic Benefit (EB) for this violation Statutory Limit Test Estimated EB Amount \$728 Violation Final Penalty Total \$24				Notes	The Responde		_		
Estimated EB Amount \$728 Violation Final Penalty Total \$24							Violatio	Subtotal[\$15
	Econor	nic Bene	fit (EB) fo	r this violatio	on	A A A A A A A A A A A A A A A A A A A	Statutory Limi	t Test	
This violation Final Assessed Penalty (adjusted for limits) \$24			Estimal	ed EB Amount		\$728	Violation Final Pen	alty Total[\$24
					This viol	ation Final As	ssessed Penalty (adjusted	or limits)	\$24

	E	conomic	Benefit	Wo	rksheet		
Respondent	SHIN-ETSU SI	LICONES OF AME	RICA, INC.				
Case ID No.							
Reg. Ent. Reference No.	•	1					
	Public Water S						Years of
Violation No.		зарріў				Percent Interest	Depreciation
Violation No.	, 1					1	1
						5.0	15
	Item Cost	Date Required	Final Date	Yrs	Interest Saved	Onetime Costs	EB Amount
Item Description	No commas or \$						
5 to 10 to							
Delayed Costs		·1		0.00		+0	
Equipment		<u> </u>		0.00	\$0	\$0	\$0
Buildings	\$5,000	30-Jun-2015	20 1.1 2017	0.00 2.08	\$0 \$35	\$0 \$693	\$0
Other (as needed)	\$5,000	1 30-Jun-5012	28-Jul-2017	0.00	\$35	\$693	\$728 \$0
Engineering/Construction Land				0.00	\$0	n/a	
Record Keeping System		 		0.00	\$0 \$0	n/a n/a	\$0 \$0
Training/Sampling		 		0.00	\$0	n/a	\$0
Remediation/Disposal	ļ	<u> </u>		0.00		n/a	\$0
Permit Costs				0.00	\$0	n/a	\$0
Other (as needed)	ļ	 		0.00		n/a	\$0
Notes for DELAYED costs Avoided Costs	disinfection	, calculated from t	he last day of t	he first compl	quarter of noncor	element an alternation of the estire of the estimate of	nated date of
Avoided Costs Disposal	ANNUAL	IZE [1] avoided	costs before	0.00	<u> </u>	\$0	
Personnel		<u> </u>		0.00	\$0	\$0	\$0 \$0
Inspection/Reporting/Sampling	 	 		0.00		\$0	\$0
Supplies/Equipment				0.00	\$0 \$0	\$0	\$0
Financial Assurance [2]		1		0.00	\$0	\$0	\$0
ONE-TIME avoided costs [3]		 		0.00		\$0	\$0
Other (as needed)				0.00		\$0	\$0
Notes for AVOIDED costs				<u> </u>			
Approx. Cost of Compliance		\$5,000			TOTAL		\$728

To request a more accessible version of this report, please contact the TCEQ Help Desk at (512) 239-4357.



Compliance History Report

PUBLISHED Compliance History Report for CN600559272, RN102877768, Rating Year 2015 which includes Compliance History (CH) components from September 1, 2010, through August 31, 2015.

Customer, Respondent, CN600559272, SHIN-ETSU SILICONES Classification: SATISFACTORY Rating: 0.68

or Owner/Operator: OF AMERICA, INC.

Regulated Entity: RN102877768, SHIN-ETSU SILICONES Classification: SATISFACTORY Rating: 0.68

OF AMERICA

Complexity Points: 16 Repeat Violator: NO

CH Group: 14 - Other

Location: 5650 EAST HIGHWAY 332, FREEPORT, TEXAS, BRAZORIA COUNTY

TCEQ Region: REGION 12 - HOUSTON

ID Number(s):

AIR NEW SOURCE PERMITS PERMIT 47029 AIR NEW SOURCE PERMITS ACCOUNT NUMBER BL0768W

AIR NEW SOURCE PERMITS REGISTRATION 112915 AIR NEW SOURCE PERMITS AFS NUM 4803900724

WASTEWATER PERMIT WQ0004362000 WASTEWATER EPA ID TX0124427

PUBLIC WATER SYSTEM/SUPPLY REGISTRATION INDUSTRIAL AND HAZARDOUS WASTE SOLID WASTE

0200619 REGISTRATION # (SWR) 87160
INDUSTRIAL AND HAZARDOUS WASTE EPA ID STORMWATER PERMIT TXR05AQ65

TXR000051029

AIR EMISSIONS INVENTORY ACCOUNT NUMBER POLLUTION PREVENTION PLANNING ID NUMBER

BL0768W P06733

Compliance History Period: September 01, 2010 to August 31, 2015 Rating Year: 2015 Rating Date: 09/01/2015

Date Compliance History Report Prepared: November 23, 2015 **Agency Decision Requiring Compliance History:** Enforcement

Component Period Selected: November 23, 2010 to November 23, 2015

TCEQ Staff Member to Contact for Additional Information Regarding This Compliance History.

Name: Farhaud Abbaszadeh Phone: (512) 239-0779

Site and Owner/Operator History:

1) Has the site been in existence and/or operation for the full five year compliance period?

2) Has there been a (known) change in ownership/operator of the site during the compliance period?

3) If **YES** for #2, who is the current owner/operator? N/A
4) If **YES** for #2, who was/were the prior N/A

owner(s)/operator(s)?

5) If YES, when did the change(s) in owner or operator N/A

occur?

Components (Multimedia) for the Site Are Listed in Sections A - J

A. Final Orders, court judgments, and consent decrees:

1 Effective Date: 12/04/2010 ADMINORDER 2010-1006-IWD-E (Findings Order-Agreed Order Without Denial)

Classification: Moderate

Citation: 2D TWC Chapter 26, SubChapter A 26.121(a)(1)

30 TAC Chapter 305, SubChapter F 305.125(1)

Rqmt Prov: Effluent Limits & Mon. Req. Nos. 1 & 2 PERMIT

Description: Failed to comply with permitted effluent limitations.

2 Effective Date: 02/09/2014 ADMINORDER 2013-1460-PWS-E (1660 Order-Agreed Order With Denial)

Classification: Moderate

Citation: 30 TAC Chapter 290, SubChapter F 290.113(f)(4) 5A THSC Chapter 341, SubChapter A 341.0315(c) Description: TTHM MCL 2Q2013 - The system violated the maximum contaminant level for trihalomethanes during the 2nd

quarter of 2013 with a RAA of 0.131 mg/L.

Classification: Moderate

Citation: 30 TAC Chapter 290, SubChapter F 290.113(f)(4) 5A THSC Chapter 341, SubChapter A 341.0315(c)

Description: TTHM MCL 1Q2013 - The system violated the maximum contaminant level for trihalomethanes during the 1st

quarter of 2013 with a RAA of 0.103 mg/L.

Classification: Moderate

Citation: 30 TAC Chapter 290, SubChapter F 290.110(e)(4)(A) 30 TAC Chapter 290, SubChapter F 290.110(f)(3)

Description: DLQOR MR 4Q2012 - The system failed to monitor and/or report distribution disinfectant residuals to the

TCEQ for the 4th quarter of 2012 within the required timeline.

Classification: Moderate

Citation: 30 TAC Chapter 290, SubChapter F 290.117(c)(2)(C) 30 TAC Chapter 290, SubChapter F 290.117(i)(1)

Description: PbCu RD MR 3Y2012 - The system failed to monitor and/or report distribution lead and copper levels to the

TCEQ for the triennial reduced monitoring period from 01/01/2010 to 12/31/2012 within the required timeline.

B. Criminal convictions:

N/A

C. Chronic excessive emissions events:

January 10, 2011

N/A

Item 1

D. The approval dates of investigations (CCEDS Inv. Track. No.):

(904138)

Itciii I	Juliadi y 10, 2011	(301130)
Item 2	February 08, 2011	(911010)
Item 3	April 06, 2011	(931072)
Item 4	May 04, 2011	(940015)
Item 5	June 10, 2011	(947416)
Item 6	June 30, 2011	(967372)
Item 7	July 12, 2011	(954671)
Item 8	August 12, 2011	(961253)
Item 9	September 27, 2011	(951956)
Item 10	October 06, 2011	(973309)
Item 11	November 08, 2011	(979439)
Item 12	December 13, 2011	(986284)
Item 13	January 10, 2012	(992663)
Item 14	March 07, 2012	(1005506)
Item 15	April 10, 2012	(1012066)
Item 16	May 07, 2012	(1018461)
Item 17	June 06, 2012	(1026166)
Item 18	July 19, 2012	(1033524)
Item 19	August 15, 2012	(1040048)
Item 20	September 11, 2012	(1049023)
Item 21	October 10, 2012	(1070242)
Item 22	November 15, 2012	(1070243)
Item 23	December 06, 2012	(1070244)
Item 24	January 16, 2013	(1083268)
Item 25	February 20, 2013	(1083267)
Item 26	March 19, 2013	(1091380)
Item 27	April 12, 2013	(1097721)
Item 28	May 15, 2013	(1108750)
Item 29	June 12, 2013	(1112317)
Item 30	July 16, 2013	(1119268)
Item 31	August 14, 2013	(1127020)
Item 32	September 19, 2013	(1131558)
Item 33	October 08, 2013	(1137302)
Item 34	November 08, 2013	(1142725)
Item 35	December 16, 2013	(1149141)
Item 36	January 16, 2014	(1155244)

Item 37	February 07, 2014	(1162552)
Item 38	March 13, 2014	(1169168)
Item 39	April 07, 2014	(1176358)
Item 40	May 13, 2014	(1182599)
Item 41	June 19, 2014	(1189476)
Item 42	July 09, 2014	(1201488)
Item 43	August 11, 2014	(1201489)
Item 44	September 22, 2014	(1207784)
Item 45	October 15, 2014	(1214187)
Item 46	November 18, 2014	(1220417)
Item 47	December 16, 2014	(1226250)
Item 48	January 07, 2015	(1233334)
Item 49	February 04, 2015	(1244236)
Item 50	March 09, 2015	(1250625)
Item 51	April 09, 2015	(1257519)
Item 52	May 13, 2015	(1264282)
Item 53	June 03, 2015	(1271369)
Item 54	July 13, 2015	(1278924)
Item 55	August 11, 2015	(1285129)

E. Written notices of violations (NOV) (CCEDS Inv. Track. No.):

A notice of violation represents a written allegation of a violation of a specific regulatory requirement from the commission to a regulated entity. A notice of violation is not a final enforcement action, nor proof that a violation has actually occurred.

1 Date: 05/21/2015 (1289465) CN600559272

Self Report? NO Classification: Moderate

Citation: 30 TAC Chapter 290, SubChapter F 290.115(f)(1)

Description: TTHM LRAA MCL 2Q2015 - During the second quarter of 2015 the system violated

the maximum contaminant level for trihalomethanes with a LRAA of 0.097 mg/L

at Break RM, Freeport, TX (DBP2-01).

2 Date: 08/27/2015 (1289465) CN600559272

Self Report? NO Classification: Moderate

Citation: 30 TAC Chapter 290, SubChapter F 290.115(f)(1)

Description: TTHM LRAA MCL 3Q2015 - During the third quarter of 2015 the system violated

the maximum contaminant level for trihalomethanes with a LRAA of 0.139 mg/L

at Break RM, Freeport, TX (DBP2-01).

3 Date: 08/31/2015 (1292216) CN600559272

Self Report? YES Classification: Moderate

Citation: 2D TWC Chapter 26, SubChapter A 26.121(a) 30 TAC Chapter 305, SubChapter F 305.125(1)

Description: Failure to meet the limit for one or more permit parameter

4 Date: 10/30/2015 (1289465) CN600559272

Self Report? NO Classification: Moderate

Citation: 30 TAC Chapter 290, SubChapter F 290.115(f)(1)

Description: TTHM LRAA MCL 4Q2015 - During the fourth quarter of 2015 the system violated

the maximum contaminant level for trihalomethanes with a LRAA of 0.143 mg/L

at Break RM, Freeport, TX (DBP2-01).

F. Environmental audits:

N/A

G. Type of environmental management systems (EMSs):

N/A

H. Voluntary on-site compliance assessment dates:

N/A

I. Participation in a voluntary pollution reduction program:

N/A

J. Early compliance:

N/A

Sites Outside of Texas:

Component Appendices

Appendix A

5

Date:

All NOVs Issued During Component Period 11/23/2010 and 11/23/2015

1 Date: 11/30/2010 (898280) CN600559272

Classification: Moderate

Self Report? YES For Informational Purposes Only

Citation: 2D TWC Chapter 26, SubChapter A 26.121(a)

30 TAC Chapter 305, SubChapter F 305.125(1)

Description: Failure to meet the limit for one or more permit parameter

2 Date: 02/28/2011 (918296) CN600559272

Classification: Moderate

Self Report? YES For Informational Purposes Only

Citation: 2D TWC Chapter 26, SubChapter A 26.121(a)

30 TAC Chapter 305, SubChapter F 305.125(1)

Description: Failure to meet the limit for one or more permit parameter

3 Date: 01/31/2012 (999998) CN600559272

Classification: Moderate

Self Report? YES For Informational Purposes Only

Citation: 2D TWC Chapter 26, SubChapter A 26.121(a)

30 TAC Chapter 305, SubChapter F 305.125(1)

Description: Failure to meet the limit for one or more permit parameter

4 Date: 04/18/2012 (988573) CN600559272

Classification: Moderate

Self Report? NO For Informational Purposes Only

Citation: 30 TAC Chapter 305, SubChapter F 305.125(1)

E.L.&M.R., pg. 2, No. 1 PERMIT

Description: Failed to maintain compliance with the permitted effluent limits.

Classification: Moderate

Self Report? NO For Informational Purposes Only

Citation: 30 TAC Chapter 319, SubChapter A 319.7(a)

30 TAC Chapter 319, SubChapter A 319.7(c)

Description: Failed to document the calibration of the pH meter.

Classification: Moderate

Self Report? NO For Informational Purposes Only

Citation: 30 TAC Chapter 305, SubChapter F 305.125(1)

O.R., pg. 12, No. 2 PERMIT

Description: Failed to comply with TPDES permit number 04362-000, Other Requirements, No.

2.

06/04/2013

Classification: Moderate

Self Report? NO For Informational Purposes Only

Citation: 30 TAC Chapter 305, SubChapter F 305.125(5)

(1104168)

Description: Failed to properly maintain the aeration basins and clarifier.

Classification:

Classification: Moderate

Self Report? NO For Informational Purposes Only

Citation: 30 TAC Chapter 290, SubChapter F 290.113(f)(4)

5A THSC Chapter 341, SubChapter A 341.0315(c)

Description: TTHM MCL 2Q2013 - The system violated the maximum contaminant level for

trihalomethanes during the 2nd quarter of 2013 with a RAA of 0.131 mg/L.

CN600559272

6 Date: 06/23/2014 (1164294) CN600559272

Classification: Moderate

Self Report? NO For Informational Purposes Only

Citation: 30 TAC Chapter 305, SubChapter F 305.125(1)

O.R., pg. 12-13, No. 2 PERMIT

Description: Falled to abide by Other Requirements No. 2.

7* Date: 05/21/2015 (1289465) CN600559272

Classification: Moderate

Self Report? NO For Informational Purposes Only

Citation: 30 TAC Chapter 290, SubChapter F 290.115(f)(1)

Description: TTHM LRAA MCL 2Q2015 - During the second quarter of 2015 the system violated

the maximum contaminant level for trihalomethanes with a LRAA of 0.097 mg/L

at Break RM, Freeport, TX (DBP2-01).

8* Date: 08/27/2015 (1289465) CN600559272

Classification: Moderate

Self Report? NO For Informational Purposes Only

Citation: 30 TAC Chapter 290, SubChapter F 290.115(f)(1)

Description: TTHM LRAA MCL 3Q2015 - During the third quarter of 2015 the system violated

the maximum contaminant level for trihalomethanes with a LRAA of 0.139 mg/L

at Break RM, Freeport, TX (DBP2-01).

9* Date: 08/31/2015 (1292216) CN600559272

Classification: Moderate

Self Report? YES For Informational Purposes Only

Citation: 2D TWC Chapter 26, SubChapter A 26.121(a)

30 TAC Chapter 305, SubChapter F 305.125(1)

Description: Failure to meet the limit for one or more permit parameter

10 Date: 10/30/2015 (1289465) CN600559272

Classification: Moderate

Self Report? NO For Informational Purposes Only

Citation: 30 TAC Chapter 290, SubChapter F 290.115(f)(1)

Description: TTHM LRAA MCL 4Q2015 - During the fourth quarter of 2015 the system violated

the maximum contaminant level for trihalomethanes with a LRAA of 0.143 mg/L

at Break RM, Freeport, TX (DBP2-01).

(000000)

Appendix B All Investigations Conducted During Component Period November 23, 2010 and November 23, 2015

Item 1	December 08, 2010**	For Informational Purposes Only
Item 2*	January 10, 2011**	(904138) For Informational Purposes Only
Item 3*	February 08, 2011**	(911010) For Informational Purposes Only
Item 4	March 07, 2011**	(918296) For Informational Purposes Only
Item 5*	April 06, 2011**	(931072) For Informational Purposes Only
Item 6*	May 04, 2011**	(940015) For Informational Purposes Only
Item 7*	June 10, 2011**	(947416) For Informational Purposes Only
Item 8*	June 30, 2011**	(967372) For Informational Purposes Only
Item 9*	July 12, 2011**	(954671) For Informational Purposes Only

^{*} NOVs applicable for the Compliance History rating period 9/1/2010 to 8/31/2015

Item 10*	August 12, 2011**		(961253) Informational	Purposes Only	
Item 11*			(951956) · Informational		
Item 12*	October 06, 2011**		(973309) Informational	Purposes Only	,
Item 13*	November 08, 2011**		(979439) Informational	Purposes Only	,
Item 14*	December 13, 2011**	For	(986284) Informational	Purposes Only	,
Item 15*	January 10, 2012**	For	(992663) Informational	Purposes Only	,
Item 16	February 13, 2012**	For	(999998) · Informational	Purposes Only	,
Item 17*	March 07, 2012**	For	(1005506) · Informational	Purposes Only	,
Item 18*	April 10, 2012**	For	(1012066) · Informational	Purposes Only	r
Item 19	April 18, 2012**	For	(988573) · Informational	Purposes Only	,
Item 20*	May 07, 2012**	For	· Informational	Purposes Only	7
Item 21*	June 06, 2012**	For	· Informational	Purposes Only	,
Item 22	July 16, 2012**	For	· Informational	Purposes Only	,
Item 23*	July 19, 2012**	For	(1033524) · Informational	Purposes Only	,
Item 24*	August 15, 2012**	For	(1040048) Informational	Purposes Only	,
Item 25*	September 11, 2012*	*Fo	(1049023) r Informational (1070242)	Purposes Only	/
Item 26*	October 10, 2012**	For	· Informational (1070243)	Purposes Only	1
Item 27*	November 15, 2012**	For	· Informational (1070244)	Purposes Only	,
Item 28*	December 06, 2012**	For	· Informational (1083268)	Purposes Only	/
Item 29*	January 16, 2013**	For	· Informational	Purposes Only	,

(1083267)
February 20, 2013** For Informational Purposes Only

(1091380)

Item 30*

Item 31*	March 19, 2013**	For Informational Purposes Only
Item 32*	April 12, 2013**	For Informational Purposes Only
Item 33*	May 15, 2013**	(1108750) For Informational Purposes Only
Item 34*	June 12, 2013**	(1112317) For Informational Purposes Only
Item 35*	July 16, 2013**	(1119268) For Informational Purposes Only
Item 36	July 24, 2013**	(1104168) For Informational Purposes Only
Item 37	August 02, 2013**	(1104237) For Informational Purposes Only
Item 38*	August 14, 2013**	(1127020) For Informational Purposes Only
Item 39*	September 19, 2013*	(1131558) *For Informational Purposes Only
Item 40*	October 08, 2013**	(1137302) For Informational Purposes Only
		(1142725)
Item 41*	November 08, 2013**	For Informational Purposes Only
Item 42*	December 16, 2013**	For Informational Purposes Only
Item 43*	January 16, 2014**	(1155244) For Informational Purposes Only
Item 44*	February 07, 2014**	(1162552) For Informational Purposes Only
Item 45*	March 13, 2014**	(1169168) For Informational Purposes Only
Item 46*	April 07, 2014**	(1176358) For Informational Purposes Only
Item 47*	May 13, 2014**	(1182599) For Informational Purposes Only
Item 48*	June 19, 2014**	(1189476) For Informational Purposes Only
Item 49	June 23, 2014**	(1164294) For Informational Purposes Only
Item 50*	July 09, 2014**	(1201488) For Informational Purposes Only
Item 51*	August 11, 2014**	(1201489) For Informational Purposes Only
		(1207784)

•

Item 52*	September 22, 2014**	For	Informational	Purposes	Only
Item 53*	October 15, 2014**		(1214187) Informational	Purposes	Only
Item 54*	November 18, 2014**		(1220417) Informational	Purposes	Only
Item 55*	December 16, 2014**		(1226250) Informational	Purposes	Only
Item 56*	January 07, 2015**		(1233334) Informational	Purposes	Only
Item 57*	February 04, 2015**		(1244236) Informational	Purposes	Only
Item 58*	March 09, 2015**	For	(1250625) Informational	Purposes	Only
Item 59*	April 09, 2015**	For	(1257519) Informational	Purposes	Only
Item 60*	May 13, 2015**	For	(1264282) Informational	Purposes	Only
Item 61*	June 03, 2015**	For	(1271369) · Informational	Purposes	Only
Item 62	July 01, 2015**	For	(1228547) · Informational	Purposes	Only
Item 63*	July 13, 2015**	For	(1278924) · Informational	Purposes	Only
Item 64*	August 11, 2015**	For	(1285129) · Informational	Purposes	Only
Item 65	September 18, 2015	For	(1292216) · Informational	Purposes	Only
Item 66	October 22, 2015	For	(1280255) · Informational	Purposes	Only
Item 67	November 06, 2015	For	(1289465) · Informational	Purposes	Only
Item 68	November 13, 2015	For	(1289859) ⁻ Informational	Purposes	Only

^{*} No violations documented during this investigation **Investigation applicable for the Compliance History Rating period between 09/01/2010 and 08/31/2015.

		·	

TEXAS COMMISSION ON ENVIRONMENTAL QUALITY



IN THE MATTER OF AN	8	BEFORE THE
ENFORCEMENT ACTION	§	
CONCERNING	§	TEXAS COMMISSION ON
SHIN-ETSU SILICONES OF	§	TEAAS COMMISSION ON
AMERICA, INC.	§	
RN102877768	§	ENVIRONMENTAL QUALITY

AGREED ORDER DOCKET NO. 2015-1726-PWS-E

At its ______ agenda, the Texas Commission on Environmental Quality ("the Commission" or "TCEQ") considered this agreement of the parties, resolving an enforcement action regarding SHIN-ETSU SILICONES OF AMERICA, INC. ("Respondent") under the authority of Tex. Health & Safety Code ch. 341. The Executive Director of the TCEQ, through the Enforcement Division, and the Respondent presented this agreement to the Commission.

The Respondent understands that it has certain procedural rights at certain points in the enforcement process, including, but not limited to, the right to formal notice of violations, notice of an evidentiary hearing, the right to an evidentiary hearing, and a right to appeal. By entering into this Agreed Order, the Respondent agrees to waive all notice and procedural rights.

It is further understood and agreed that this Order represents the complete and fully-integrated settlement of the parties. The provisions of this Agreed Order are deemed severable and, if a court of competent jurisdiction or other appropriate authority deems any provision of this Agreed Order unenforceable, the remaining provisions shall be valid and enforceable. The duties and responsibilities imposed by this Agreed Order are binding upon the Respondent.

The Commission makes the following Findings of Fact and Conclusions of Law:

I. FINDINGS OF FACT

- 1. The Respondent owns and operates a public water supply located at 5650 East Highway 332 in Freeport, Brazoria County, Texas (the "Facility") that has approximately one service connection and serves at least 25 people per day for at least 60 days per year.
- 2. During a record review conducted from November 2, 2015 through November 13, 2015, TCEQ staff documented that the locational running annual average concentrations for total trihalomethanes ("TTHM") for Disinfection Byproducts Stage 2 at site 1 were 0.097 milligrams per liter ("mg/L") for the second quarter of 2015, 0.139 mg/L for the third quarter of 2015, and 0.143 mg/L for the fourth quarter of 2015.
- 3. The Respondent received notice of the violations on November 19, 2015.

II. CONCLUSIONS OF LAW

- 1. The Respondent is subject to the jurisdiction of the TCEQ pursuant to TEX. HEALTH & SAFETY CODE ch. 341 and the rules of the Commission.
- 2. As evidenced by Findings of Fact No. 2, the Respondent failed to comply with the maximum contaminant level ("MCL") of 0.080 mg/L for TTHM, based on the locational running annual average, in violation of 30 Tex. ADMIN. CODE § 290.115(f)(1) and Tex. HEALTH & SAFETY CODE § 341.0315(c).
- 3. Pursuant to Tex. Health & Safety Code § 341.049, the Commission has the authority to assess an administrative penalty against the Respondent for violations of the Texas Water Code and the Texas Health and Safety Code within the Commission's jurisdiction; for violations of rules adopted under such statutes; or for violations of orders or permits issued under such statutes.
- 4. An administrative penalty in the amount of Two Hundred Forty-Three Dollars (\$243) is justified by the facts recited in this Agreed Order, and considered in light of the factors set forth in Tex. Health & Safety Code § 341.049(b). The Respondent has paid the Two Hundred Forty-Three Dollar (\$243) administrative penalty.

III. ORDERING PROVISIONS

NOW, THEREFORE, THE TEXAS COMMISSION ON ENVIRONMENTAL QUALITY ORDERS that:

1. The Respondent is assessed an administrative penalty in the amount of Two Hundred Forty-Three Dollars (\$243) as set forth in Section II, Paragraph 4 above, for violations of TCEQ rules and state statutes. The payment of this administrative penalty and the Respondent's compliance with all the terms and conditions set forth in this Agreed Order

completely resolve the violations set forth by this Agreed Order in this action. However, the Commission shall not be constrained in any manner from requiring corrective actions or penalties for other violations that are not raised here. Administrative penalty payments shall be made payable to "TCEQ" and shall be sent with the notation "Re: SHIN-ETSU SILICONES OF AMERICA, INC., Docket No. 2015-1726-PWS-E" to:

Financial Administration Division, Revenue Operations Section Attention: Cashier's Office, MC 214 Texas Commission on Environmental Quality P.O. Box 13088 Austin, Texas 78711-3088

- 2. The Respondent shall undertake the following technical requirements:
 - a. Within 365 days after the effective date of this Agreed Order, return to compliance with the locational running annual average MCL for TTHM, in accordance with 30 TEX. ADMIN. CODE § 290.115.
 - b. Within 380 days after the effective date of this Agreed Order, submit written certification as described below, and include detailed supporting documentation including photographs, receipts, and/or other records to demonstrate compliance with Ordering Provision No. 2.a. The certification shall be notarized by a State of Texas Notary Public and include the following certification language:

"I certify under penalty of law that I have personally examined and am familiar with the information submitted and all attached documents, and that based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the submitted information is true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fines and imprisonment for knowing violations."

The certification shall be submitted to:

Order Compliance Team Enforcement Division, MC 149A Texas Commission on Environmental Quality P.O. Box 13087 Austin, Texas 78711-3087

with a copy to:

Public Drinking Water Section Manager Water Supply Division, MC 155 Texas Commission on Environmental Quality P.O. Box 13087 Austin, Texas 78711-3087

- 3. The provisions of this Agreed Order shall apply to and be binding upon the Respondent. The Respondent is ordered to give notice of the Agreed Order to personnel who maintain day-to-day control over the Facility operations referenced in this Agreed Order.
- 4. The Executive Director may grant an extension of any deadline in this Agreed Order or in any plan, report, or other document submitted pursuant to this Agreed Order, upon a written and substantiated showing of good cause. All requests for extensions by the Respondent shall be made in writing to the Executive Director. Extensions are not effective until the Respondent receives written approval from the Executive Director. The determination of what constitutes good cause rests solely with the Executive Director.
- 5. The Executive Director may refer this matter to the Office of the Attorney General of the State of Texas ("OAG") for further enforcement proceedings without notice to the Respondent if the Executive Director determines that the Respondent has not complied with one or more of the terms or conditions in this Agreed Order.
- 6. This Agreed Order shall terminate five years from its effective date or upon compliance with all the terms and conditions set forth in this Agreed Order, whichever is later.
- 7. This Agreed Order, issued by the Commission, shall not be admissible against the Respondent in a civil proceeding, unless the proceeding is brought by the OAG to: (1) enforce the terms of this Agreed Order; or (2) pursue violations of a statute within the Commission's jurisdiction, or of a rule adopted or an order or permit issued by the Commission under such a statute.
- 8. This Agreed Order may be executed in separate and multiple counterparts, which together shall constitute a single instrument. Any page of this Agreed Order may be copied, scanned, digitized, converted to electronic portable document format ("pdf"), or otherwise reproduced and may be transmitted by digital or electronic transmission, including but not limited to facsimile transmission and electronic mail. Any signature affixed to this Agreed Order shall constitute an original signature for all purposes and may be used, filed, substituted, or issued for any purpose for which an original signature could be used. The term "signature" shall include manual signatures and true and accurate reproductions of manual signatures created, executed, endorsed, adopted, or authorized by the person or persons to whom the signatures are attributable. Signatures may be copied or reproduced digitally, electronically, by photocopying, engraving, imprinting, lithographing, electronic mail, facsimile transmission, stamping, or any

other means or process which the Executive Director deems acceptable. In this paragraph exclusively, the terms "electronic transmission", "owner", "person", "writing", and "written" shall have the meanings assigned to them under Tex. Bus. Org. Code § 1.002.

9. The effective date of this Order is the date it is signed by the Commission. A copy of this fully executed Order shall be provided to each of the parties.

SIGNATURE PAGE

TEXAS COMMISSION ON ENVIRONMENTAL QUALITY

For the Commission	Date
Permo Mourie Director	4/29/1 <u>L</u>
I, the undersigned, have read and understand the ETSU SILICONES OF AMERICA, INC. I am authon behalf of SHIN-ETSU SILICONES OF AMERI and conditions. I further acknowledge that the Tamount, is materially relying on such representations.	horized to agree to the attached Agreed Order ICA, INC., and do agree to the specified terms ICEQ, in accepting payment for the penalty
I understand that by entering into this Agreed Or INC. waives certain procedural rights, including, violations addressed by this Agreed Order, notice evidentiary hearing, and the right to appeal. I ag an evidentiary hearing. This Agreed Order constit Commission of the violations set forth in this Agr	but not limited to, the right to formal notice of an evidentiary hearing, the right to an ree to the terms of the Agreed Order in lieu of itutes full and final adjudication by the
 I also understand that failure to comply with the and/or failure to timely pay the penalty amount, A negative impact on compliance history; Greater scrutiny of any permit application Referral of this case to the Attorney General additional penalties, and/or attorney fees Increased penalties in any future enforcer Automatic referral to the Attorney General and TCEQ seeking other relief as authorized be addition, any falsification of any compliance defined 	may result in: as submitted; ral's Office for contempt, injunctive relief, , or to a collection agency; ment actions; al's Office of any future enforcement actions; by law.
Ragnhino Patant Signature	January 5, 2016 Date
Name (Printed or typed) Authorized Representative of SHIN-ETSU SILICONES OF AMERICA, INC.	PRESIDENT × CEO Title

Instructions: Send the original, signed Agreed Order with penalty payment to the Financial Administration Division, Revenue Operations Section at the address in Section III, Paragraph 1 of this Agreed Order.